

# Kronos

Peristaltic dosing pump



# The **Kronos**

## PERISTALTIC METERING PUMP DRIVE BY A STEPPER MOTOR

The feed chemical is conveyed by means of the rotor squeezing on the hose. No valves are needed for this. This ensures gentle handling of the metered media.

The housing is made from shock-proof and chemical resistant PPE with IP65 protection degree. It is equipped with several inputs for metering configuration.

**The stepper motor means that metering is infinitely adjustable.**

Typical applications are in processes where only a low discharge pressure is required, such as in the metering of chemicals into galvanic baths, in clarification tanks or for metering conditioning agents into swimming pools (flocculants, activated carbon and chemicals).



## Features

### ■ DOSING

- By stepper motor technology
- Safely **up to 10 l/h** and **up to 3 bar**
- Suitable firmware micro dosing
- Minimum dosing note 2 ml/h continuous

### ■ MOTORS

- Accurate, reliable and ultra quiet <35 db
- Direct coupling

### ■ TUBING

The perfect choice to dose degassing liquid without the needs of "special" accessories

### ■ MODE

#### ● FULL MODE

**kronos** FM pump has multi-function setting there are six (6) different configuration, as following:

- Manual Mode (Constant dosing)
- mA Mode (Proportional dosing)
- PPM Mode (Concentration dosing)
- 1:N Mode (Speed up dosing)
- N:1 Mode (Speed down dosing)
- Batch Mode (Setting dosing)


#### ● CONDUCTIVITY MODE

**kronos** CR pump has a conductivity measure integrated. The dosing pump has two (2) different configuration, as following:

- Manual Mode (Constant dosing)
- Conductivity Mode (SetPoint Dosing)

## Products Line

Model	Nominal Pressure	Delivery Rate	Minimum Delivery Rate	Tubing	Tubing internal diameter
<b>kronos50</b> FM10	2 bar	10 l/h	10 ml/h	<b>seko</b> Med	6 mm
<b>kronos50</b> FM02	3 bar	2 l/h	2 ml/h	<b>seko</b> Extra	3 mm
<b>kronos50</b> CR10	2 bar	10 l/h	10 ml/h	<b>seko</b> Med	6 mm



## Design and Functional description

The device is housed in a robust plastic housing.

The plastic housing is comprised of upper and lower sections, which are screwed together. The lower section contains the PCBs for power supply and connectors.


This construction technology simplify the installation: block part will easily fixed at the wall and all wire are connected on that part.

Once wiring is completed the front part can do screwed on the block one.

The liquid end is mounted at the front and is closed off by means of a screwed transparent cover to protect against injuries. The pump hose can easily be exchanged after the transparent cover has been removed.

The rotary movement of the rotors alternately press and relax pump hose by three rollers. As a result, the liquid is sucked in and transported through the pressure hose without stress. The pump is self priming in all conditions.

## Dimensions



## Ordering information

Code	Model	Description
<b>KRFM0210</b>	<b>kronos50</b> FM10	kronos 10 l/h @2 bar full mode
<b>KRFM0302</b>	<b>kronos50</b> FM02	kronos 2 l/h @3 bar full mode
<b>KRCR0210</b>	<b>kronos50</b> CR10	kronos 10 l/h @2 bar conductivity mode



# A Worldwide Group at your service

**seko** has been a significant manufacturer of metering pumps and dosing systems for over 40 years. This long activity allowed seko to acquire a vast experience in diversified applications and to confirm its international success in many industrial fields through the supply of reliable solutions for the dosing, injection and transfer of liquids

Today **seko** is an International Group, developing, manufacturing and delivering its products in more than 50 countries, through its 16 subsidiaries and an extended network of distributors, agents and authorized dealers



## **BRAZIL**

### ■ **Seko do Brasil Comercio de Sistemas de Dosagem Limitada**

03170-050 São Paulo (SP)  
Phone: +55 11 2606 9878  
Fax: +55 11 2606 9878  
sekobrasil@sekobrasil.com.br  
www.sekobrasil.com.br

## **CHINA**

### ■ **Seko China Ltd**

072750 Hebei  
Phone: +86 312 552 0904  
Fax: +86 312 552 0901  
china@seko.com  
www.sekochina.com

## **DENMARK**

### ■ **Seko Denmark**

DK-4930 Maribo  
Phone: +45 5475 7545  
Fax: +45 5474 7545  
info@seko.com

## **FRANCE**

### ■ **Seko Lefranc-Bosi S.A.**

77435 - Marne La Vallée Cedex 2  
Phone: +33 1 6005 9060  
Fax: +33 1 6480 4104  
lefrancbosi@lefrancbosi.com  
service.commercial@seko.fr  
www.lefrancbosi.com

## **GERMANY**

### ■ **Seko Deutschland GmbH**

55252 Mainz - Kastel  
Phone: +49 6134 2858 10  
Fax: +49 6134 2858 29  
info@seko-messtechnik.de  
www.seko-germany.com

## **ITALY**

### ■ **Seko Spa**

Via Salaria Km. 92,200  
02010 S.Rufina - Rieti  
Phone: +39 0746 605801  
Fax: +39 0746 607072  
sales@seko.com

## **ITALY**

### ■ **Seko Spa** **[Process & Sytems]**

Via Di Vittorio, 25  
20068 Peschiera Borromeo - Milano  
Phone: +39 02 97372411  
Fax: +39 02 55301744  
info.psd@seko.com  
info@seko.com

## **ROMANIA**

### ■ **Seko Sieta S.r.l.**

400393 Cluj-Napoca  
Phone: +40 264 415 251  
Fax: +40 264 415 622  
info.dpro@seko.com

## **RUSSIA**

### ■ **OOO Seko**

129347 - Moscow  
Phone: +74 99 182 52 36  
Fax: +74 99 182 52 36  
sekorussia@seko.com  
www.sekorussia.ru

## **SINGAPORE**

### ■ **Seko Dosing Systems**

#### **Asia Pacific Pte Ltd**

608838 Singapore  
Phone: +65 6515 6996  
Fax: +65 6515 5079  
asiapacific@seko.com

## **SOUTH AFRICA**

### ■ **Seko Southern Africa** **(PTY) Ltd**

Kyasand - Johannesburg - Gauteng  
Phone: +27 11 704 6589  
Fax: +27 11 704 6588  
sales@sekosa.co.za

## **SPAIN**

### ■ **Seko Ibérica Sistemas de Dosificación S.A.**

08960 Sant Just Desvern - Barcelona  
Phone: +34 93 4802 570  
Fax: +34 93 4802 571  
sekoiberica@sekoiberica.com

## **SWEDEN**

### ■ **Seko Sweden**

26123 Landskrona  
Phone: +46 418 448 482  
Fax: +46 418 448 483  
info@seko.com

## **TURKEY**

### ■ **Seko Endüstriyel Pompalar ve Proses Sistemleri San. ve Tic. Ltd. Şti.**

Kartal Istanbul  
Phone: +90 216 353 2542  
Fax: +90 216 353 1450  
info@seko.com.tr  
www.seko.com.tr

## **UNITED ARAB EMIRATES**

### ■ **Seko Middle East FZE**

P.O. Box 42090 - Hamriyah Free Zone,  
Sharjah  
Phone: +971 65264982  
Fax: +971 65264983  
info@sekome.ae  
sales@sekome.ae

## **UNITED KINGDOM**

### ■ **Seko UK**

#### **Chemical Controls Ltd**

Harlow, Essex - CM19 5JH  
Phone: +44 1279 423550  
Fax: +44 1279 423993  
seko.uk@seko.com  
www.sekouk.com

## **USA**

### ■ **Seko Dosing Systems** **Corporation**

Tullytown - PA 19007  
Phone: +1 215 945 01 25  
Fax: +1 215 945 09 37  
sales@sekousa.com  
www.sekousa.com

For more information  
[www.seko.com](http://www.seko.com)

